

```
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value": [],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m747 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath, id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name 'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value": [],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m708 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
```

```
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m711 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","/XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m703 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
```

```
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m719 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
[35m[HTTP]] [39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP]] [39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m721 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
```

```

[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m731 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with

```

```

driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m738 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}[39m
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}[39m
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m726 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}[39m
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//

```

```
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m725 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'⌘C') and
contains(@name,'⌘C')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m722 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'⌘C') and
contains(@name,'⌘C')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
```

```

'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m730 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m724 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'

```

```
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m730 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m763 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
```



```
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m717 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
[35m[HTTP]] [39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP]] [39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m751 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
[35m[HTTP]] [39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
```

```
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"]
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"]
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m718 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"]
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"]
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
```

```
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m723 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m714 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
```

```
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":  
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}  
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with  
driver.findElements() result: []  
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-  
f17b6ab8f717/elements [39m[32m200[39m [90m720 ms - 12[39m  
[35m[HTTP][39m [90m[39m  
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/  
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m  
[35m[HTTP][39m [90m{"using": "xpath", "value": "//  
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"  
[39m  
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with  
args: ["xpath", "//XCUIElementTypeButton[contains(@label,'ðC') and  
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]  
[debug] [35m[XCUI Test][39m Executing command 'findElements'  
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,  
id, name, class name, -ios predicate string, -ios class chain, accessibility id  
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition  
[debug] [35m[WD Proxy][39m Matched '/elements' to command name  
'findElements'  
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://  
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/  
elements] with body: {"using": "xpath", "value": "//  
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"  
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":  
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}  
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with  
driver.findElements() result: []  
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-  
f17b6ab8f717/elements [39m[32m200[39m [90m717 ms - 12[39m  
[35m[HTTP][39m [90m[39m  
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/  
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m  
[35m[HTTP][39m [90m{"using": "xpath", "value": "//  
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"  
[39m  
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with  
args: ["xpath", "//XCUIElementTypeButton[contains(@label,'ðC') and  
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]  
[debug] [35m[XCUI Test][39m Executing command 'findElements'  
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,  
id, name, class name, -ios predicate string, -ios class chain, accessibility id  
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition  
[debug] [35m[WD Proxy][39m Matched '/elements' to command name  
'findElements'
```

```
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value": [],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m708 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath, id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name 'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value": [],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m722 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
```

id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m708 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m724 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with

```
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m730 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m727 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
```

```
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m744 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
```



```
f17b6ab8f717/elements [39m[32m200[39m [90m736 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m717 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
```

```
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m724 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m712 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
```

```
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m729 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m722 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
```

```
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m718 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m706 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
```

```
contains(@name,'XCUIElement')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUIElementTest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'XCUIElement') and contains(@name,'XCUIElement')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m709 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'XCUIElement') and contains(@name,'XCUIElement')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'XCUIElement') and
contains(@name,'XCUIElement')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUIElementTest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'XCUIElement') and contains(@name,'XCUIElement')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m732 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
```

```
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'⌘C') and
contains(@name,'⌘C')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m718 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
[35m[HTTP]] [39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP]] [39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'⌘C') and
contains(@name,'⌘C')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'⌘C') and contains(@name,'⌘C')]"}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m723 ms - 12[39m
```

```

[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m711 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId": "03519BA6-2E73-45BC-84D4-1364C896FF18"}

```

```
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m713 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m713 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
```



```
elements] with body: {"using":"xpath","value":"","//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m723 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m724 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]"}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]","55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
```

```
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m712 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m732 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":""//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
```

```
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m714 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","/XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m731 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')"]}
[39m
```

```
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m717 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
[35m[HTTP]] [39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP]] [39m [90m{"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)]] [39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')]", "55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUITest]] [39m Executing command 'findElements'
[debug] [35m[BaseDriver]] [39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver]] [39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy]] [39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy]] [39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"//
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy]] [39m Got response with status 200: {"value":
[], "sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)]] [39m Responding to client with
driver.findElements() result: []
[35m[HTTP]] [39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m717 ms - 12[39m
[35m[HTTP]] [39m [90m[39m
```

```

[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/elements [39m[32m200[39m [90m721 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements[39m
[35m[HTTP][39m [90m{"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.findElements() with
args: ["xpath","//XCUIElementTypeButton[contains(@label,'ðC') and
contains(@name,'ðC')"],"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'findElements'
[debug] [35m[BaseDriver][39m Valid locator strategies for this request: xpath,
id, name, class name, -ios predicate string, -ios class chain, accessibility id
[debug] [35m[BaseDriver][39m Waiting up to 50 ms for condition
[debug] [35m[WD Proxy][39m Matched '/elements' to command name
'findElements'
[debug] [35m[WD Proxy][39m Proxying [POST /elements] to [POST http://
localhost:50540/session/03519BA6-2E73-45BC-84D4-1364C896FF18/
elements] with body: {"using":"xpath","value":"","
XCUIElementTypeButton[contains(@label,'ðC') and contains(@name,'ðC')]}
[debug] [35m[WD Proxy][39m Got response with status 200: {"value":
[],"sessionId":"03519BA6-2E73-45BC-84D4-1364C896FF18"}
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with

```

```
driver.findElements() result: []
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/elements [39m[32m200[39m [90m710 ms - 12[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mPOST[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/timeouts[39m
[35m[HTTP][39m [90m{"implicit":45000}[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.timeouts() with
args: [null,null,null,null,45000,"55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'timeouts'
[debug] [35m[BaseDriver][39m W3C timeout argument: {"implicit":45000}}
[debug] [35m[BaseDriver][39m Set implicit wait to 45000ms
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.timeouts() result: null
[35m[HTTP][39m [37m<-- POST /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/timeouts [39m[32m200[39m [90m2 ms - 14[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mGET[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/context[39m
[35m[HTTP][39m [90m{}[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling
AppiumDriver.getCurrentContext() with args: ["55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'getCurrentContext'
[debug] [35m[W3C (55fcbaa6)][39m Responding to client with
driver.getCurrentContext() result: "NATIVE_APP"
[35m[HTTP][39m [37m<-- GET /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/context [39m[32m200[39m [90m2 ms - 22[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mGET[39m [37m/wd/hub/session/55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/contexts[39m
[35m[HTTP][39m [90m{}[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.getContexts() with
args: ["55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'getContexts'
[debug] [35m[iOS][39m Getting list of available contexts
[debug] [35m[iOS][39m Retrieving contexts and views
[debug] [35m[XCUI Test][39m Selecting by url: false
[35m[RemoteDebugger][39m Remote Debugger version 5.7.0
[debug] [35m[RemoteDebugger][39m useNewSafari --> false
[debug] [35m[RemoteDebugger][39m Checking which communication style to
use (non-Safari on platform version '13.1')
[debug] [35m[RemoteDebugger][39m Platform version equal or higher than
'12.2': true
[35m[RemoteDebugger][39m Setting communication protocol: using full Web
Inspector protocol communication
```

```
[debug] [35m[RemoteDebugger][39m Sending connection key request
[debug] [35m[RemoteDebugger][39m Sending '_rpc_reportIdentifier:' message
(id: 0)
[35m[HTTP][39m [37m<-- GET /wd/hub/session/55fcbaa6-ac25-49f4-8ca4-
f17b6ab8f717/contexts [39m[32m-[39m [90m- ms - -[39m
[35m[HTTP][39m [90m[39m
[35m[HTTP][39m [37m-->[39m [37mGET[39m [37m/wd/hub/session/
55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717/contexts[39m
[35m[HTTP][39m [90m{}[39m
[debug] [35m[W3C (55fcbaa6)][39m Calling AppiumDriver.getContexts() with
args: ["55fcbaa6-ac25-49f4-8ca4-f17b6ab8f717"]
[debug] [35m[XCUI Test][39m Executing command 'getContexts'
```